



Medical Therapy Jaundice PL-L/PL-S

PL-L 18W/52/4P 1CT/25

By emitting light almost entirely within the 400 to 500 nm bandwidth these Medical Therapy Jaundice PL-L lamps have no radiation from the short wave UVB waveband. They are therefore ideal for treating new born babies suffering from hyperbilirubinemia (neonatal jaundice) and Crigler-Najjar Syndrome (CNS). Moreover, the bandwidth of these lamps peak at the most effective treatment wavelength of 450 nm. This highly efficacious phototherapy treatment has eliminated the need for blood transfusions in almost all jaundiced infants. In addition, with the compact format of this PL-L lamp equipment manufacturers have more design freedom in developing their solutions. By emitting a full spectrum of a high color temperature, the PL-L /953 lamps are ideal for treating SAD. N.B.: Our UVB lamps are NOT registered with FDA as medical devices as they are NOT packaged or labeled for commercial distribution for health-related purposes. US customers are referred to the UVB and UVA lamp range brochure US version.

Product data

General Information		Operating and Electrical	
Cap-Base	2G11 [2G11]	Power (Rated) (Nom)	17.5 W
Main Application	Medical Therapy	Lamp Current (Nom)	0.375 A
Life to 50% Failures Preheat (Nom)	8000 h	Voltage (Nom)	57 V
Light Technical		Mechanical and Housing	
Color Code	52	Cap-Base Information	4 Pins
Luminous Flux (Nom)	330 lm	Approval and Application	
Lumen Maintenance 2000 h (Nom)	93 %	Mercury (Hg) Content (Nom)	4.4 mg
Lumen Maintenance 5000 h (Nom)	88 %	Product Data	
Chromaticity Coordinate X (Nom)	155	Full product code	872790080517800
Chromaticity Coordinate Y (Nom)	75		

Medical Therapy Jaundice PL-L/PL-S


Order product name	PL-L 18W/52/4P 1CT/25
EAN/UPC - Product	8727900805178
Order code	927904105206
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	25

Material Nr. (12NC)	927904105206
Net Weight (Piece)	60.900 g

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Dimensional drawing



Product	D1 (max)	D (max)	A (max)	B (max)	C (max)
PL-L 18W/52/4P 1CT/25	18 mm	39 mm	188.2 mm	214 mm	220.6 mm

PL-L 18W/52/4P 219mm

